

+

FOR SALE



EMOCEAN

Model: RSY 38m
Explorer

38.15m | Rosetti SuperYachts | 2021

Builder:	Rosetti SuperYachts	Engines:	2 MAN 800 HP
Length:	38.15m (125' 1")	Speed:	11/12.5 knots (approx)
Beam:	8.85m (29')	Accommodation:	12 guests in 5 cabins
Draft:	2.37m (7' 9")	Crew:	7
Year:	2021	Location:	France
Gross Tonnage:	432	Price:	€ 17,950,000
Material:	Steel Hull, Aluminium Superstructure	Tax Status:	Excl. VAT

Video: <https://www.youtube.com/watch?v=FCnpda42U1k>



This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company




This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposes only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company




This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposes only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company




This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposes only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company



This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposes only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company



This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company



Index

1. CONSTRUCTION

2. MAIN CHARACTERISTICS

General

Capacities

3. MACHINERY

Generators

Electricity

Air Conditioning

Other Machinery

4. ACCOMMODATION

5. GALLEY & LAUNDRY EQUIPMENT

6. COMMUNICATION EQUIPMENT

7. NAVIGATION EQUIPMENT

8. ENTERTAINMENT EQUIPMENT

9. TENDERS & TOYS

10. DECK EQUIPMENT

11. SAFETY & SECURITY EQUIPMENT

12. EXCLUSIONS

1. CONSTRUCTION

- Steel hull
- Aluminium superstructure

2. MAIN CHARACTERISTICS

GENERAL

Built by:	Rosetti SuperYachts
Year:	2021
Length:	38.15m (125' 1")
Beam:	8.85m (29')
Draft:	2.37m (7' 9")
Classification:	RINA C MACH Y Short Range LY4 compliant
MCA:	Yes
Flag:	Cayman Islands
Gross tonnage:	432 t
Displacement:	375 t
Designer:	Hydro Tec
Naval Architect:	Hydro Tec
Interior Designer:	Burdisso Capponi

CAPACITIES

Speed:	11/12.5 knots (approx)
Range:	5000 nm @ 9 knots
Fuel capacity:	60,000 Litres (15,850 US Gallons)
Water capacity:	7,450 Litres (1,968 US Gallons)
Black water capacity:	1,500 Litres (396 US Gallons)
Grey water capacity:	10,500 Litres (2,774 US Gallons)
Fuel consumption:	55 Litres/Hr

3. MACHINERY

Engines: 2 MAN 800 HP
Engine model: D2868 LE425
Engine hours: Port: 2733hrs (6-Mar-2023)
Starboard: 2733hrs (6-Mar-2023)
2 x 588kW @ 2100rpm
Fuel: Diesel
Propulsion: Prop Shaft
Gearboxes: 2 x Reintjes WAF 344 ? = 4.053:1
Steering: Two rudders (electro-hydraulic, ram type)
Stabilizers: One pair of non-retractable electric fin stabilizers with zero speed CMC LR 150 – 11kW, 2,7 sqm

Generators: Main Electric Generators 2 x Kohler 80 ekW 400V 50Hz;
Night Electric Generator 1 x Kohler 35 ekW 400V 50Hz

Generator hours:

- Generator port -4950
- Generator starboard -5010
- Generator central- 184

Electricity: 220/380V @ 50Hz
24V @ 50Hz

Equipment is designed for an ambient temperature operation of 45°C (52,5°C in Engine Room) and located so that access for removal, repair and maintenance is possible; sea water temperature 32 °C.

Shore power: One shore connection - 25 m long cable with terminal plug with EEC 380V ring.
Glendenning. 1x 70kVA (double case) ASEA shore power frequency converter.

Batteries:

- Service batteries
- Engine startup batteries
- Emergency batteries

Air Conditioning: AC system consists of a main & backup chilled and fancoils. It is designed to satisfy the below conditions:

SUMMER:

External temperature: +35 C
External relative humidity: 80%
Sea water temperature: +32 C
Internal temperature: 22 C (+/- 1 C)
Internal relative humidity: 55% (+/- 5%)

WINTER

External temperature: 0 C
Internal temperature: 21 C (+/- 1 C)

OTHER MACHINERY

Bow Thruster: CMC BTM 75-85, Power abt 85 kW
Watermaker: 1x Idromar MC5S Duplex type Total capacity 2 x 6.000 l/day

4. ACCOMMODATION

Emocean has accommodation for 12 guests. There is a full-beam master suite on the main deck, complete with an owner's office, walk-in wardrobe, his-and-hers ensuite bathroom and a private balcony accessed via floor-to-ceiling sliding doors. The guest accommodation is on the lower deck and comprises two guest doubles and two cabins which can be converted between twin or double configuration, each with an additional Pullman berth for complete flexibility.

Crew areas are designed for long range cruising in mind, and the accommodation for the yacht's seven crew is both spacious and well thought out. A comfortable en-suite captain's cabin is located behind the bridge, with a further 3 en-suite twin cabins on the lower deck. A dedicated cold storage area and a separate laundry ensure smooth operations even during extended cruising.

5. GALLEY & LAUNDRY EQUIPMENT

HOUSEHOLD APPLIANCES

Galley

- 1 SMEG induction hob with 6 plates
- 1 microwave oven
- 1 professional extractor hood
- 1 fridge counter with drawers (Lift Wall)
- 1 GIORIK steam convection oven 5 trays
- 1 Dishwasher
- 1 sink with double basin
- Laundry 2 washing machines

Crew Pantry

- 1 dishwasher
- 3 Freezer / refrigerator cabinets
- 1 fridge crew

Sun Deck

- 1 Techimpex Super grill 510mm X 290mm
- 1 Ice Maker
- 1 fridge

Upper Deck Pantry

- 1 Fridge
- 1 Ice Maker

Beach club

- 1 fridge
- 1 Ice Maker

6. COMMUNICATION EQUIPMENT

- 2x FURUNO FM8900S Marine VHF DSC Class A GMDSS (IMO approved)
- 1x FURUNO FS1575 SSB HF/MF Radio Telephone 150W GMDSS (IMO approved)
- 1x FURUNO FELCOM18 Inmarsat-C LRIT GMDSS (IMO approved)
- 1x Ocean Signal SAFESEA E100G GPS EPIRB with VTR ARH100 / Automatic (IMO approved)
- 1x Zenitel ETB-5 Talk Back System
- 3x FURUNO RB-8900-20 VHF GMDSS Class A remote stations
- 1x FURUNO NX700B NAVTEX Receiver GMDSS (IMO approved)
- 2x Ocean Signal SAFESEA V100 Portable GMDSS VHF (IMO approved)
- 1x Ocean Signal SAFESEA S100 SART GMDSS (IMO approved)
- 1x iSMART PATC F/PL 725 Thermal Camera

Satellite Antennas

- 1x Intellian s100HD TV SAT Antenna Trio LNB (Direct TV) Worldwide
- 1x Intellian Inmarsat FBB-150
- 1x Intellian v100NX V-SAT Antenna KU Band (KA Band ready)

7. NAVIGATION EQUIPMENT

- 4x FURUNO Monitors MU-270 27"
- 1x FURUNO X-Band Radar FAR-2218 12kW (IMO approved)
- 1x MAXSEA Timezero SW & Professional PC
- 1x FURUNO secondary GPS GP33 GPS Navigator
- 1x FURUNO DS-80 Doppler Speed Log (IMO approved)
- 1x Sperry Marine C-PLATH Navipilot 4000 Autopilot (IMO version)
- 1x Sperry Marine C-PLATH GYROC. NAVIGAT 100 Gyrocompass System (Wheelmarked)
- 1x Sperry Marine repeter for steering gear room
- 1x Airmar weather station 220WX
- 1x FURUNO RD-33 Repeater (crew mess area)
- 1x FURUNO BNWAS System BR-500 (IMO approved)
- 1x FURUNO S-Band Radar FAR-2238 30kW (IMO approved)
- 2x FURUNO ECDIS FMD 3200 BB (IMO approved, Full ECDIS)
- 1x FURUNO main GPS GP-170/GPA017S GPS (Wheelmark/IMO approved)
- 1x FURUNO FE-800 Navigation Echosounder (IMO approved)
- 1x FURUNO DFF1 Secondary Network Echosounder for Navnet System
- 1x Sperry Marine C-PLATH Magnetic Compass Jupiter 180MM
- 1x Sperry Marine Gyrocompass repeater
- 1x FURUNO Satellite Compass SC70 (IMO approved - back up)
- 2x FURUNO RD-33 Data Repeaters (wing stations)
- 1x FURUNO AIS Class A Transponder (IMO approved)

8. ENTERTAINMENT EQUIPMENT

- A 75 inch cinema screen in the Saloon lounge
- 150 bottle crystal wine cellar
- Bar in the sky lounge

9. TENDERS & TOYS

TENDER:

- Zar Formenti 6,5 with 175 HP outboard engine

TOYS

- 1 x Seadoo Spark 900 HO ACE
- 2 x 2/3 seaters rigid Kayaks
- 1 x Seabob F5S
- 1 x Waterskis
- Swimming Accessories
- 1 x Banana
- 6 x Strida Bikes
- 1 x Diving Board from Bridge Deck
- 1 x Seadoo Wake Pro 170
- 1 x Seabob F5SR
- 1 x Wakeboard
- 10 x Snorkeling Sets (Adults and Juniors)
- 1 x Donuts
- 2 x Diving Sets (compressor onboard)
- 1 x Jellyfish Pool
- 1 x Inflatable SUP

10. DECK EQUIPMENT

- Seating area to aft on both the main deck and the bridge deck.
- 3.5m infinity pool on the sun deck along with a bar and alfresco dining area.
- (2) 315 kg HHP bow anchors
- Crane and storage for the main tender
- The sun deck space can be enclosed by glass panels, creating a winter garden.
- Two (2 off) electrically driven polished stainless-steel warping capstans, mod. Quick TB 8 5.5 kW on aft mooring deck
- 16 Underwater lights (4 on transom, 5 each side at stern, 2 at bow)

11. SAFETY & SECURITY EQUIPMENT

- Inflatable life rafts, of suitable capacity, will be provided.
- All the life-rafts are of throw-overboard type stowed in GRP containers and in accordance with Rules and Regulation Requirements (Red Ensign Group Yacht Code).
- 1 x Tender/crew rib suitable for usage as rescue boat according to Class and flag requirements having dimensions and weight not exceeding 1.000kg
- CCTV system with 6 cameras

12. EXCLUSIONS

A complete list of exclusions is available upon request.